

Processing machines



DICSQ



Machines for flexibles

horizontal manual crimping machines

vertical manual crimping machines

electrical crimping machines – accesories

high capacity electrical crimping machines

cutting machines

electrical and manual skiving machines

welding tables and testing benches

cleaning benches

other machines

special equipment



Machines for rigid tube

deburring machine

DIN 2353, JIC 37° & 90° pipe fittings assembly

bending machines

multi-functional unit



50_{Hz}

60_{Hz}

220V 120V

230V 110V

monophase



What **voltage** do you work with?
Ask us which **machine** to use!



50_{Hz}

60_{Hz}

440V 380V 220V

three-phase



Machines for flexibles

horizontal manual crimping machines



100 t +20 mm 59 mm 25 kg.



PM16ELBOW-8J

Ref.		
PM16-8J PM16SPEED-8J	1" - 3SP	10, 12, 14, 16, 19, 23, 27, 31, 39
PM 16ELBOW-8J	1" - 3SP	10, 12, 14, 16, 19, 23, 27, 31, 39 JGPM16F-14, JGPM16F-17, JGPM16F-21



120 t +20 mm 65 mm 32 kg.

Ref.		
PM18F-9J	1"-4SP	10, 12, 14, 16, 19, 23, 27, 31, 37



140 t +25 mm 110 mm 55 kg.

Ref.		
PM22-9J	1 1/4"-4SP	14, 16, 19, 23, 27, 31, 36, 41, 47



80 t +20 mm 59 mm 28 kg.

Ref.		
PM 18 6J N	1"-2SP 3/4"-4SP 1/2"-6SP	15, 18, 21, 24, 27, 30, 39

Machines for flexibles

horizontal manual crimping machines



95 t +20 mm 59 mm 45 kg.

Ref.		
PM16PN-8J	1"3-3SP	10, 12, 14, 16, 19, 23, 27, 31



140 t +25 mm 110 mm 55 kg.

Ref.		
PM22P-9J	1"1/4-4SP	15, 18, 21, 24, 27, 30, 39



low pressure

+21 mm 12 kg.

Ref.	Ø Max.	
PBPH25 N	2S	10, 13, 16

vertical manual crimping machines



90 mm

50 kg.

bar max. 450

Ref.		
PHM2-12	3/4" - 2SN	15, 21, 27
PHM2-16	1" - 2SN	15, 21, 27, 34

freon



bar max. 220 bar

19 kg.

Freón 5/8

Ref.		
V00104000000	5/8"	16, 22, microhose

Machines for flexibles

electrical crimping machines



137 t +28 mm 100 mm

Ref.		
SE 28 5J N	1"1/4-4SP	15, 21, 27, 33, 39
SE 28 10J N	1"1/4-4SP	12, 15, 18, 21, 24, 27, 30, 33, 39, 48



240 t +38 mm 118 mm

Ref.		
PE 38 12J N	2" 4SP 1" 6SP	12, 15, 18, 21, 24, 27, 30, 33, 39, 48, 57, 66



350 t +54 mm 180 mm

Ref.		
PE 58 14J N	2" - 6SP	10, 12, 15, 18, 21, 24, 27, 30, 33, 39, 48, 57, 66, 73
PE 58 14J 5.5 N	3" - 2SP	



92,5 t

Ref.		
PEA-16	1" 2SP 3/4" 4SP	15, 21, 27, 34

accessories for crimping machines

SPEBD N



EGN | EGNT



PEDAL.N/NT



Machines for flexibles

electrical crimping machines



170 t +26 mm 110 mm

Pedal included



Ref.		
PE 28 9J NT	1" 1/4 - 4SP	14, 16, 19, 23, 27, 31, 36, 41, 47



220 t +32 mm 130 mm

Pedal included



Ref.		
PE 38 15J NT	2" - 4SP 1" - 6SP	6, 12, 14, 16, 19, 22, 26, 30, 34, 39, 45, 51, 57, 63, 69



Bajo pedido



Bajo pedido

420 t +32 mm 130 mm

Pedal included



Ref.		
PE 50 17J NT	2" - 6SP	6, 10, 12, 14, 16, 19, 22, 26, 30, 34, 39, 45, 51, 57, 63, 69, 74

accessories for crimping machines

ESPECIAL DIES



M PE 38 NT



DICSQ

CBOXPNP4 / CBOXPNP6



Machines for flexibles

high capacity electrical crimping machines



500 t +78 mm 220 mm

Ref.		
PES 140 NT	2" 1/2 6 SP 5" IND	10, 12, 14, 16, 19, 22, 26, 30, 34, 39, 45, 51, 57, 63, 69, 74, 78, 84, 92, 100, 108, 116



160 t +40 mm

110 mm

Ref.	
HM225	1"1/4 4SP 2" IND



340 t +70 mm

215 mm

Ref.	
HM380	3" 6SP 4" IND



800 t +180 mm

580 mm

Ref.	
HM665	3" 6SP 16" IND

cutting machines



Ø 520 mm Ø Max. 125 mm

5,5 Kw

Ref.	
CHM6-32 N	2" - 6SP 4" IND



Ø 250 mm Ø Max. 50mm

2,2 Kw

Ref.	
CHMT-20 N	1 1/4 - 4SP



Ø 250 mm Ø Max. 75 mm

3 Kw

Ref.	
CHM4-32 N	2" - 4SP

Ø 300 mm Ø Max. 75mm


4 Kw

Ref.	
CHM4-32 N2	2" - 4SH

hose lenght counter

Ø 6 mm - 70 mm

Ref.
CON320



Ø 6 mm - 100 mm

Ref.
CONDM



Ø 6 mm - 100 mm

Ref.
CONAM



cutting blades



Plain
Slotted
Serrated
Slotted double bevel
Serrated double bevel

pinpricker

Ø min. 10 mm - max. 80 mm

Ref.
PINPRICKER1080



Machines for flexibles

skiving machines



tools



tool holder




 300 rpm
  0,75 Kw
  2"
  44 kg.


Ref.			
PB-32N	2"	1/2", 3/4", 5/8", 1", 1 1/4, 1 1/2, 2"	3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1", 1 1/4, 1 1/2

manual hose skiving



 1 1/4"
  8,5 kg.

Ref.	
PMT 1 1/4	1 1/4"

 2"
  14 kg.

Ref.	
PMT 2	2"



skiving machines



300 rpm

0,75 Kw

Max. 7 Bar

2 Simultaneous



Ref.		
PBCMU-32	3/4", 1", 1 1/4", 1 1/2", 2"	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1", 1 1/4", 1 1/2", 2"



300 rpm

0,75 Kw

Max. 7 Bar

2"



One cutter

Ref.		
PBC-32	3/4", 1", 1 1/4", 1 1/2", 2"	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1", 1 1/4", 1 1/2", 2"



Double cutter. Skiver with quick change tooling

Ref.		
PBCM-32	3/4", 1", 1 1/4", 1 1/2", 2"	1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 1", 1 1/4", 1 1/2", 2"

Option:

Ref.
MORDAZA N



Machines for flexibles

welding tables and testing benches

welding




welding tables

240 mm 0,40 Kw 380 kg.

Ref.

MESASOLDADURA240



testing bench



banco de pruebas 0-2500 bar 2 líneas de presión


Agua
0-400 bar
0-2500 bar



Ref.

TB2500

Dimensiones:
Largo: 2.000 mm
Ancho: 800 mm
Alto: 1.110 mm



cleaning benches



 Aire: 7 Bar

 1/4" - 2"



1 gun + 10 nozzles + 10 bags of bullets

Ref.

CK50

multiple foam
styles and sizes



cleaning machine

Ref.

RG 2

 Air: 7 Bar

 Max lenght.: 2,5 m.

 Capacity: 1"1/4 ID

 5µm / 12 µm / 25 µm

 Water flow: 100 l/min.



cleaning bench

Ref.

RG 10

 Air: 7 Bar

 Max lenght.: 20 m.

 Capacity: 2" ID

 10µm

 Water flow: 180 l/min.

2 flushing cones

Machines for flexibles

other machines

fast introducer for fittings

↔ Ø 50 mm.

Ref.
IRT50



manual marking machine

↔ Ø min. 11,5 mm – max. 100 mm

Ref.
MMTO50



penumatic marker

↔ Ø min. 11,5 mm – max. 85 mm

Ref.
MNTO50



letters box for marking machine

Ref.	units.	A.B...1,2...
C50L	50	1 pcs.: A,B,I,N,R,S 2 pcs.: P 6 pcs.: 1; 5 pcs.: 2, 3, 4, 5; 4 pcs.: 6; 3 pcs.: 7, 8, 9; 4 pcs.: 0. Spacers: 10 pcs. Neutral blocks: 15 mm. y 30 mm.
C100L	100	1 pcs.: A...Z 7 pcs.: 0...9 Spacers: 10 pcs. Neutral blocks: 15 mm. y 30 mm.



Machines for flexibles

mobile workshop for hose assembly 12VDC

manual skinving

PMT 2




manual crimping series

PM16-8J

PM 18 6J N


PM 18F-9J



12V DC electrical crimping

SE 28 5J 12VDC N

PE 38 12J 12VDC N



12V DC cutting machine

CHMT-20 12VDC N



roll holders and exhibitors



Ref.

PRO7



Ref.

PCM3

retractable roller



Ref.s

RRHG, ZRRHG, RMLG, RMSG

Machines for rigid tube

deburring machines

desktop

75 rpm

0,18 Kw

Ø 6-42 mm.

30 kg.

Ref.

DEBUR01



Deburring tools included

complete

75 rpm

0,37 Kw

Ø 20-75 mm.

65 kg.

Ref.

S02



Deburring tools included

DIN 2353, JIC 37° & 90° pipe fittings assembly

manually operated tool

Ø 6-15 mm.

12 kg.

Ref.

USFLO15MAN



DIN2353

montaje racores din 2353, JIC 37°

manually operated tool

↔ Ø 6-42X4 mm.

🛒 40 kg.

Ref.

USFL/01 MAN

DIN2353 & JIC37"



electrical drive tool

↔ Ø 6-42X4 mm.

⚡ 0,75 Kw

🛒 60 kg.

Ref.


TUBE2437

DIN2353 & JIC37"



accessories

flaring accessories 37° (JIC)



Ref.

TOOLHOLDER37

+

Ref.s

FT3706-FT3742

+

Ref.

BL

accessories for cutting ring assembly (DIN)



Ref.

TOOLHOLDER24

+

Ref.

SU06L-SU42L

+

Ref.

PLT06-PLT42

Machines for rigid tube

bending machines

manual bending machine

↔ Ø 6-18 mm.

Ref.

M18 6-18

Útiles incluidos



↔ Ø 6-42 x4 mm.

Ref.

CMS42



electrical bending machine

⚡ 1,1 Kw ↔ Ø 6-42 x4 mm.

Ref.

BENDER642

Electric bending machine with cabinet



Válidos para CMS42 y BENDER642

multi-functional units

mini



Preassembling DIN 2353 24° + JIC 37° Flaring + Bending + Deburring



1,7 Kw



210 kg.

Ref.

CEN-MINI

junior



Preassembling DIN 2353 24° + JIC 37° Flaring + Bending + Deburring + Cutting



4,6 Kw



300 kg.



Ø 100 mm



Air: 220 l/min

Ref.

CEN-JU





DICSa

www.dicsaes.com